



PRODUCT
CATALOG

ABOUT US



Gladly serving our customers for more than 80 years

The Perfect Equipment brand has been delivering wheel weights to customers since 1939 - longer than any other brand in the business. Founded by William P. Smissen only a few short years after the original patent for the clip-on wheel weight was issued in 1932, Perfect Equipment has been on the forefront of technology ever since. As we move forward into the next generation, we will continue our tradition of innovation and quality, and just as our tagline states, we are 'balancing the future.'

A brand with global reach

Providing our customers the highest capacity available

Perfect Equipment is a brand of the WEGMANN automotive family of brands. WEGMANN automotive has a long history of success and features companies and brands all over the world. With fully owned and operated manufacturing, distribution and sales facilities strategically located worldwide, WEGMANN automotive is able to provide a supply chain advantage that no other wheel balance weight manufacturer can match.



IATF **19649**

ISO **14001**



Committed to excellence

We are proud to manufacture our products in certified facilities, utilizing our overall expertise to deliver high quality products to OEMs and the aftermarket.

Some of our achievements

- ISO/TS-19649 Quality Systems Certified
- ISO-14001 Environmental Systems Certified
- Ford Q1 Certified Facility

Customer service focused

One of our top priorities is to continually provide our customers with the best and fastest customer service available. Regardless of your question or issue, give us a call at our SERVICE FIRST LINE and you will immediately speak directly with a representative that can help you. Dial us today and see for yourself!




SERVICE FIRST LINE
1-888-215-4575
CONTACT CUSTOMER SERVICE DIRECT

What is wheel assembly imbalance?





When made, wheels and tires inherently feature a heavy spot, or an imbalance. There are two types of imbalance: static imbalance and dynamic imbalance. Static imbalance is caused by a heavy-spot located on the circumference of an assembly and can cause wheel tramp, or a severe bouncing of the assembly when in motion. Dynamic imbalance is caused by a heavy-spot outside of the side-centerline of an assembly and can cause wheel shimmy, or a severe side-to-side staggering of the assembly when in motion.

How do you correct an imbalance?

By placing a clip-on or an adhesive wheel balance weight opposite the assemblies' heavy spot(s), the wheel assembly can now roll true.



6 methods of balancing passenger car rims





Gregory

Perfect
EQUIPMENT

P255/55R17

102H

PERFORMANCE

Note Perfect Steel Clip-On for the aftermarket is transitioning to North American domestic production and products received may slightly vary in appearance from photos shown below.




STEEL CLIP-ON



PFE-Series

Fits Standard-width rim flange thickness passenger car steel wheels with 13"-17" wheel size.

Available Sizes 0.25 oz. - 2.50 oz.




-  For Steel Wheels
-  Ounces Only
-  Coated



AWFE-Series

Fits Many brands like Acura, Buick, Chevrolet, Chrysler, Dodge, Infiniti, Isuzu, Lexus, Oldsmobile & Pontiac

Available Sizes 0.25 oz. - 2.50 oz.




-  For Alloy Wheels
-  Ounces Only
-  Coated



MCFE-Series

Fits Many brands like Buick, Chevrolet, Chrysler, Dodge, Ford, Mazda, Oldsmobile, Pontiac & Saturn

Available Sizes 0.25 oz. - 2.50 oz.




-  For Alloy Wheels
-  Ounces Only
-  Coated



IAWFE-Series

Fits Many brands like Audi, BMW, Cadillac, Jaguar, Kia, Nissan, Toyota, Volkswagen & Volvo

Available Sizes 5g - 60g




-  For Alloy Wheels
-  Grams Only
-  Coated



FNFE-Series

Fits Many brands like Acura, Honda, Infiniti, Lexus, Nissan & Toyota

Available Sizes 10g - 60g




-  For Alloy Wheels
-  Grams Only
-  Coated



TFE-Series


Fits Steel wheels with a thicker than standard rim flange and light-trucks with non-commercial alloy rims

Available Sizes 0.25 oz. - 2.50 oz.

-  For Steel & Alloy Wheels
-  Ounces Only
-  Coated

NOTE: Find individual part numbers for each product shown in this catalog in the part number reference.
NOTE: Perfect Equipment steel clip-on weights may vary in appearance from the photos shown.




OEM PASSENGER CAR LEAD CLIP-ON



PS-Series

Fits Standard-width rim flange thickness passenger car steel wheels with 13"-17" wheel size.

Available Sizes 0.25 oz. - 6 oz.




-  For Steel Wheels
-  Ounces & Grams
-  Coated & Uncoated



AWN-Series

Fits Many brands like Acura, Buick, Chevrolet, Chrysler, Dodge, Infiniti, Isuzu, Lexus, Oldsmobile & Pontiac

Available Sizes 0.25 oz. - 3 oz.




-  For Alloy Wheels
-  Ounces & Grams
-  Coated & Uncoated



MCN-Series

Fits Many brands like Buick, Chevrolet, Chrysler, Dodge, Ford, Mazda, Oldsmobile, Pontiac & Saturn

Available Sizes 0.25 oz. - 4 oz.




-  For Alloy Wheels
-  Ounces & Grams
-  Coated & Uncoated



IAW-Series

Fits Many brands like Audi, BMW, Cadillac, Jaguar, Kia, Nissan, Toyota, Volkswagen & Volvo

Available Sizes 5g - 60g




-  For Alloy Wheels
-  Grams Only
-  Coated Only



FN-Series

Fits Many brands like Acura, Honda, Infiniti, Lexus, Nissan & Toyota

Available Sizes 5g - 80g




-  For Alloy Wheels
-  Ounces & Grams
-  Coated & Uncoated



TN-Series

Fits Steel wheels with a thicker than standard rim flange and light-trucks with non-commercial alloy rims

Available Sizes 0.25 oz. - 5 oz.

-  For Steel & Alloy Wheels
-  Ounces & Grams
-  Coated Only

NOTE: Please refer to application guide or use a rim gauge to verify all specific applications.




HEAVY-DUTY LEAD CLIP-ON



LT1-Series

Fits Medium-duty steel wheels and older light-duty trucks with thicker than standard rim flanges

Available Sizes 0.5 oz. - 6 oz.




-  For Steel Wheels
-  Ounces & Grams
-  Uncoated only



I7-Series

Fits Most heavy-duty & some older medium-duty trucks with steel wheels

Available Sizes 1 oz. - 16 oz.




-  For Steel Wheels
-  Ounces & Grams
-  Uncoated only



TAL-Series

Fits Most heavy-duty & some older medium-duty trucks with alloy wheels

Available Sizes 2 oz. - 8 oz.




-  For Alloy Wheels
-  Ounces Only
-  Coated & Uncoated



CT-Series

Fits HD tubeless alloy rims from Firestone, Accuride, Budd or Goodyear

Available Sizes 2 oz. - 16 oz.




-  For Alloy Wheels
-  Ounces & Grams
-  Uncoated Only



RC-Series

Fits HD alloy rims from Firestone, Accuride or Radial Commander

Available Sizes 2 oz. - 12 oz.

-  For Alloy Wheels
-  Ounces & Grams
-  Uncoated Only

NOTE: Find individual part numbers for each product shown in this catalog in the part number reference.

STEEL QUIKSTIK® & ROLLS



200624ST QuikStik®

Product Details - Strip .25 oz. segments, 3 oz. per strip, 52 strips per box, 624 seg

Product Details - Black Same as above

Product Details - Roll .25 oz. segments, 20 lb. roll, 1,280 segments per roll

Product Size Low profile, 0.1875" height, 1" width

-  Roll Available
-  .25 oz. Segments
-  CW Available
-  5-Year Coating



300360ST QuikStik®

Product Details .50 oz. segments, 6 oz. per strip, 30 strips per box, 360 segments per box

Product Details - Roll .50 oz. segments, 20 lb. roll, 640 segments per roll

Product Size Standard profile, 0.3125" height, 1" width



-  Roll Available
-  .50 oz. Segments
-  CW Available
-  5-Year Coating



410090ST Adhesive

Product Details 1.00 oz. segments, 6 oz. per strip, 15 strips per box, 90 segments per box, nano coating

Product Size Low profile, 0.1875" height, 1.25" width



-  1.00 oz. Segments
-  5-Year Coating



310224ST Adhesive

Product Details 0.50 oz. segments, 4 oz. per strip, 28 strips per box, 224 segments per box, nano coating

Product Size Low profile, 0.1875" height, 0.75" width

-  .50 oz. Segments
-  5-Year Coating






200576FE Adhesive

Product Details - Strip 0.25 oz. segments, 3 oz. per strip, 48 strips per box, 576 segments per box, grey coating

Product Details - Roll .25 oz. segments, 11 lb. roll, 1,280 segments per roll

Product Size Low profile, 0.1875" height, 0.75" width



-  Roll Available
-  .25 oz. Segments
-  3-Year Coating



300224FE Adhesive

Product Details 0.50 oz. segments, 4 oz. per strip, 28 strips per box, 224 segments per box, grey coating

Product Size Standard profile, 0.1875" height, 0.75" width



-  .50 oz. Segments
-  3-Year Coating



200576FEBLK Adhesive

Product Details 0.25 oz. segments, 3 oz. per strip, 48 strips per box, 576 segments per box, black coating

Product Size Low profile, 0.1875" height, 0.75" width



-  .50 oz. Segments
-  3-Year Coating



300224FEBLK Adhesive

Product Details 0.50 oz. segments, 4 oz. per strip, 28 strips per box, 224 segments per box, black coating

Product Size Standard profile, 0.1875" height, 0.75" width

-  .50 oz. Segments
-  3-Year Coating

NOTE: Find individual part numbers for each product shown in this catalog in the part number reference.

LEAD QUIKSTIK®



100360 QuikStik®

Product Details .25 oz. segments, 3 oz. per strip, 30 strips per box, 360 segments per box

Product Size Standard profile, 0.2188" height, 0.50" width

- .25 oz. Segments
- Coated & Uncoated



200624 QuikStik®

Product Details .25 oz. segments, 3 oz. per strip, 52 strips per box, 624 segments per box

Product Size Low profile, 0.1563" height, 0.75" width

- .25 oz. Segments
- CW Available
- Coated & Uncoated



300360 QuikStik®

Product Details .50 oz. segments, 6 oz. per strip, 30 strips per box, 360 segments per box

Product Size Standard profile, 0.2813" height, 0.75" width

- .50 oz. Segments
- CW Available
- Coated & Uncoated



CL6 QuikStik®

Product Details 1 oz. segments, 6 oz. per strip, 30 strips per box, 180 segments per box

Product Size Standard profile, 0.2813 height, 0.75" width

- 1 oz. Segments
- Uncoated Only



CL12 QuikStik®



Product Details 2 oz. segments, 12 oz. per strip, 8 strips per box, 48 segments per box

Product Size Standard profile, 0.3438" height, 1.25" width

- 2 oz. Segments
- Uncoated Only

COLD WEATHER ADHESIVE WEIGHTS

HOW IT WORKS



Available Part Numbers 200624CW, 300360CW, 200624STCW, 300360STCW

Fe Pb Lead & Steel Available

0.25 oz. & 0.50 oz. Segments Available

Coated & Uncoated Available

NOTE: Find individual part numbers for each product shown in this catalog in the part number reference.

ACCESSORIES

25K Pliers

This light-duty wheel weight installation and removal tool is the industry standard for uncoated lead clip-on style wheel weights.

Part Number 25K



75K Alloy Hammer

Used for the installation of coated clip-on wheel weights.

Part Number 75K
(75H - 5 qty replacement horns)
(75P - 5 qty replacement faces)



50K & 50KE Pliers

This European designed clip-on wheel weight installation and removal tool features a "Clip Claw" crowbar, punch-designed handles, and a heavier hammer head.

Part Number 50K & 50KE



95K Alloy Hammer

Specifically designed to install TAL clip-on wheel weights.

Part Number 95K



71K Pliers

Known as "The Protector," this wheel weight installation and removal tool is to be used on coated clip-on wheel weights.

Part Number 71K
(5 qty replacement faces - 71P)



105K Alloy Hammer

The 105K is the preferred non-lead clip-on installation and removal tool.

Part Number 105K
(105HSD - 1 qty standard replacement horn)
(105HST - 1 qty short replacement horn)



PT7 Pliers

Primarily used for large truck steel clip-on wheel weights. The "Clip Claw" design is ideal for removing weights that have minimum tire/wheel flange clearance.

Part Number PT7



QSS1 QuikStik® Adhesive Scraper

This adhesive wheel weight removal tool is the industry standard.

Part Number QSS1



TR10 Removal Tool

This heavy-duty, hardened steel removal tool even makes taking off the toughest weights easy.

Part Number TR10



Roll Accessories

QS1000 SegmentLock Bar: magnetized bar to help prevent weights from falling back in the roll box

QS2000 Single-head steel floor stand

QS3000 Dual-head steel floor stand



Product Catalog

Additional copies of this full-line catalog are available.

Part Number 18000




OEM Alloy Clip-On Application Wall Chart

This wall chart provides clip type application data for OE alloy rims for passenger cars and light trucks.

Part Number 18027

Dimensions 22" W x 34" H



OEM Alloy Clip-On Application Brochure

This brochure style guide provides clip type application data for all OE alloy rims for passenger cars and light trucks.

Part Number 18082




Rim Gauges

Rim gauges should be used when proper applications can not be found in the application guide.

Part Numbers

RG1 - Passenger car & light truck

RG2 - Medium & heavy-duty truck



RG1



RG2

STORAGE SOLUTIONS



Our wheel balance weight storage solutions are constructed of pre-welded, cold-rolled steel and manufactured by a leading expert in storage construction, Durham Manufacturing. Premium powder coated with a gloss grey finish and shipped ready to install, these racks can survive the harshest of shop environments.

DURHAM MFG®
Est. 1922

SKU: WALLRACK20

- 32 bin openings (4 up, 8 across)
- Each bin holds up to 50 weights each
- Mounts to wall using bolts into studs or block
- Dimensions: 34" wide x 8.5" deep x 19.25" tall
- 32 lbs. total weight
- Header card and label pack (SKU: LBLUNI) included
- Label pack includes all standard passenger car and light truck labels, as well as commercial truck labels, to allow you to customize the rack however you wish



SKU: FLOORRACK21

- 40 standard size bin openings (5 up, 8 across)
- Each standard bin holds up to 50 weights each
- 8 oversize bin openings (2 up, 4 across)
- Each oversize bin holds complete boxes of weights
- 12" Feet Kit raises rack for underneath storage
- Can be utilized without feet for smaller areas
- Rack **MUST** be wall anchored for protection
- Dimensions: 34" wide x 12" deep x 57" tall (with feet)
- 79 lbs. total weight (including feet)
- Header card and label pack (SKU: LBLUNI) included
- Label pack includes all standard passenger car and light truck labels, as well as commercial truck labels, to allow you to customize the rack however you wish

INSTALLATION INSTRUCTIONS

Clip-on wheel weights



1. Select the correct application

Using a wheel weight application guide, select the correct application for the vehicle you are servicing. Check that the weight application is correct by testing the placement on the wheel flange.



2. Placing the weight on the rim

Place the wheel weight in the correct location of the imbalance. Prior to striking with the hammer, make sure that the top and the bottom of the clip are touching the rim flange. The body of the weight should not be touching the rim!



3. Installing the weight using a hammer

Once the wheel weight is properly aligned, strike the clip with a proper wheel weight installation hammer. Please note: striking the weight body could result in clip retention failure or weight movement.



4. Checking the weight fitment

After installing the weight, check to make sure that it is secured properly.

Adhesive wheel weights



1. Cleaning and pre-treating the rim

Apply a suitable cleaning agent on the area where weight is to be applied. Wipe area clean and dry. Please note: Be sure to test the cleaning agent on a small area to ensure it will not damage the wheel's finish.



2. Select the correct adhesive weight size

Cut the adhesive weights or break them apart, depending on weight type, to obtain the correct amount of weight needed.



3. Applying the adhesive weight

Remove the tape backing and press the center of the weight exactly at the imbalance point. Please note: Do not touch the tape surface after peeling off the tape backing.



4. Securing the adhesive weight

Once the center of the weight is located at the imbalance point, press down on the full weight length working from the center to the left and right. Using firm hand pressure should be enough to secure the weight.

SKU INDEX

Lead Clip-On Uncoated

Part No.	Size	Pcs/box
■ PO25	0.25 oz.	50
PO50	0.50 oz.	50
P075	0.75 oz.	50
P100	1.00 oz.	50
P125	1.25 oz.	50
P150	1.50 oz.	50
P175	1.75 oz.	50
P200	2.00 oz.	50
P225	2.25 oz.	50
P250	2.50 oz.	50
P275	2.75 oz.	50
P300	3.00 oz.	50
P325	3.25 oz.	25
P350	3.50 oz.	25
P375	3.75 oz.	25
P400	4.00 oz.	25
P450	4.50 oz.	25
P500	5.00 oz.	25
P550	5.50 oz.	25
P600	6.00 oz.	25
■ AW025	0.25 oz.	50
AW050	0.50 oz.	50
AW075	0.75 oz.	50
AW100	1.00 oz.	50
AW125	1.25 oz.	50
AW150	1.50 oz.	50
AW175	1.75 oz.	50
AW200	2.00 oz.	50
AW225	2.25 oz.	50
AW250	2.50 oz.	50
AW275	2.75 oz.	50
AW300	3.00 oz.	50
■ MCO25	0.25 oz.	50
MCO50	0.50 oz.	50
MCO75	0.75 oz.	50
MC100	1.00 oz.	50
MC125	1.25 oz.	50
MC150	1.50 oz.	50
MC175	1.75 oz.	50
MC200	2.00 oz.	50
MC225	2.25 oz.	50
MC250	2.50 oz.	50
MC275	2.75 oz.	50
MC300	3.00 oz.	50

Coated

Part No.	Size	Pcs/box
■ PO25S	0.25 oz.	25
PO50S	0.50 oz.	25
P075S	0.75 oz.	25
P100S	1.00 oz.	25
P125S	1.25 oz.	25
P150S	1.50 oz.	25
P175S	1.75 oz.	25
P200S	2.00 oz.	25
P225S	2.25 oz.	25
P250S	2.50 oz.	25
P275S	2.75 oz.	25
P300S	3.00 oz.	25
P325S	3.25 oz.	25
P350S	3.50 oz.	25
P375S	3.75 oz.	25
P400S	4.00 oz.	25
P450S	4.50 oz.	25
P500S	5.00 oz.	25
P550S	5.50 oz.	25
P600S	6.00 oz.	25
■ AW025N	0.25 oz.	25
AW050N	0.50 oz.	25
AW075N	0.75 oz.	25
AW100N	1.00 oz.	25
AW125N	1.25 oz.	25
AW150N	1.50 oz.	25
AW175N	1.75 oz.	25
AW200N	2.00 oz.	25
AW225N	2.25 oz.	25
AW250N	2.50 oz.	25
AW275N	2.75 oz.	25
AW300N	3.00 oz.	25
■ MCO25N	0.25 oz.	25
MCO50N	0.50 oz.	25
MCO75N	0.75 oz.	25
MC100N	1.00 oz.	25
MC125N	1.25 oz.	25
MC150N	1.50 oz.	25
MC175N	1.75 oz.	25
MC200N	2.00 oz.	25
MC225N	2.25 oz.	25
MC250N	2.50 oz.	25
MC275N	2.75 oz.	25
MC300N	3.00 oz.	25

Part No.	Size	Pcs/box
MC325N	3.25 oz.	25
MC350N	3.50 oz.	25
MC375N	3.75 oz.	25
MC400N	4.00 oz.	25
■ IAW005	5 g	25
IAW010	10 g	25
IAW015	15 g	25
IAW020	20 g	25
IAW025	25 g	25
IAW030	30 g	25
IAW035	35 g	25
IAW040	40 g	25
IAW045	45 g	25
IAW050	50 g	25
IAW055	55 g	25
IAW060	60 g	25
■ FNO05	5 g	25
FNO05S*	5 g	25
FNO75	7.5 g	25
FNO10	10 g	25
FNO125	12.5 g	25
FNO15	15 g	25
FNO175	17.5 g	25
FNO20	20 g	25
FNO225	22.5 g	25
FNO25	25 g	25
FNO275	27.5 g	25
FNO30	30 g	25
FNO325	32.5 g	25
FNO35	35 g	25
FNO375	37.5 g	25
FNO40	40 g	25
FNO45	45 g	25
FNO50	50 g	25
FNO55	55 g	25
FNO60	60 g	25
FNO65	65 g	25
FNO70	70 g	25
FNO75	75 g	25
FNO80	80 g	25
■ TO25N	0.25 oz.	25
TO50N	0.50 oz.	25
TO75N	0.75 oz.	25
T100N	1.00 oz.	25

Part No.	Size	Pcs/box
T125N	1.25 oz.	25
T150N	1.50 oz.	25
T175N	1.75 oz.	25
T200N	2.00 oz.	25
T225N	2.25 oz.	25
T250N	2.50 oz.	25
T275N	2.75 oz.	25
T300N	3.00 oz.	25
T325N	3.25 oz.	25
T350N	3.50 oz.	25
T375N	3.75 oz.	25
T400N	4.00 oz.	25
T450N	4.50 oz.	25
T500N	5.00 oz.	25

All Adhesives

Part No.	Material	Segment Size	Strip Size	Pcs/box
200624ST	Steel	0.25 oz.	3.00 oz.	52
200624STB	Steel	0.25 oz.	3.00 oz.	52
200624STCW	Steel	0.25 oz.	3.00 oz.	52
200624STR	Steel	0.25 oz.	1,280 segments	20lb Roll
300360ST	Steel	0.50 oz.	6.00 oz.	30
300360STCW	Steel	0.50 oz.	6.00 oz.	30
300360STR	Steel	0.50 oz.	640 segments	20lb Roll
310224ST	Steel	0.50 oz.	4.00 oz.	28
410090ST	Steel	1.00 oz.	6.00 oz.	15
200576FE	Steel	0.25 oz.	3.00 oz.	48
200576FEBLK	Steel	0.25 oz.	3.00 oz.	48
200576FER	Steel	0.25 oz.	704 segments	11lb Roll
300224FE	Steel	0.50 oz.	4.00 oz.	28

Part No.	Material	Segment Size	Strip Size	Pcs/box
300224FEBLK	Steel	0.50 oz.	4.00 oz.	28
100360	Lead	0.25 oz.	3.00 oz.	30
100360S (coated)	Lead	0.25 oz.	3.00 oz.	30
100720	Lead	0.25 oz.	3.00 oz.	60
200624	Lead	0.25 oz.	3.00 oz.	52
200624N (coated)	Lead	0.25 oz.	3.00 oz.	52
200624S	Lead	0.25 oz.	3.00 oz.	48
200624CW	Lead	0.25 oz.	3.00 oz.	52
300360	Lead	0.50 oz.	6.00 oz.	30
300360CW	Lead	0.50 oz.	6.00 oz.	30
CL6	Lead	1.00 oz.	6.00 oz.	30
CL12	Lead	2.00 oz.	12.00 oz.	8

Perfect Steel Clip-On

Part No.	Size	Pcs/box
■ P025FE	0.25 oz.	25
P050FE	0.50 oz.	25
P075FE	0.75 oz.	25
P100FE	1.00 oz.	25
P125FE	1.25 oz.	25
P150FE	1.50 oz.	25
P175FE	1.75 oz.	25
P200FE	2.00 oz.	25
P225FE	2.25 oz.	25
P250FE	2.50 oz.	25
■ AWO25FE	0.25 oz.	25
AWO50FE	0.50 oz.	25
AWO75FE	0.75 oz.	25
AW100FE	1.00 oz.	25
AW125FE	1.25 oz.	25
AW150FE	1.50 oz.	25
AW175FE	1.75 oz.	25
AW200FE	2.00 oz.	25
AW225FE	2.25 oz.	25
AW250FE	2.50 oz.	25

Part No.	Size	Pcs/box
■ MCO25FE	0.25 oz.	25
MCO50FE	0.50 oz.	25
MCO75FE	0.75 oz.	25
MC100FE	1.00 oz.	25
MC125FE	1.25 oz.	25
MC150FE	1.50 oz.	25
MC175FE	1.75 oz.	25
MC200FE	2.00 oz.	25
MC225FE	2.25 oz.	25
MC250FE	2.50 oz.	25
■ IAWO10FE	10 g	25
IAWO15FE	15 g	25
IAWO20FE	20 g	25
IAWO25FE	25 g	25
IAWO30FE	30 g	25
IAWO35FE	35 g	25
IAWO40FE	40 g	25
IAWO45FE	45 g	25
IAWO50FE	50 g	25
IAWO55FE	55 g	25
IAWO60FE	60 g	25

Part No.	Size	Pcs/box
■ FNO10FE	10 g	25
FNO15FE	15 g	25
FNO20FE	20 g	25
FNO25FE	25 g	25
FNO30FE	30 g	25
FNO35FE	35 g	25
FNO40FE	40 g	25
FNO45FE	45 g	25
FNO50FE	50 g	25
FNO55FE	55 g	25
FNO60FE	60 g	25
■ TO25FE	0.25 oz.	25
TO50FE	0.50 oz.	25
TO75FE	0.75 oz.	25
T100FE	1.00 oz.	25
T125FE	1.25 oz.	25
T150FE	1.50 oz.	25
T175FE	1.75 oz.	25
T200FE	2.00 oz.	25
T225FE	2.25 oz.	25
T250FE	2.50 oz.	25

Heavy-Duty Lead Clip-On

Part No.	Size	Pcs/box
RCO20	2.00 oz.	25
RCO30	3.00 oz.	25
RCO40	4.00 oz.	25
RCO60	6.00 oz.	25
RCO80	8.00 oz.	25
RC100	10.00 oz.	20
RC120	12.00 oz.	20
CTO20	2.00 oz.	25
CTO30	3.00 oz.	25
CTO40	4.00 oz.	25
CTO60	6.00 oz.	25
CTO80	8.00 oz.	25
CT100	10.00 oz.	20
CT120	12.00 oz.	20
CT140	14.00 oz.	10

Part No.	Size	Pcs/box
CT160	16.00 oz.	10
TALO20	2.00 oz.	25
TALO30	3.00 oz.	25
TALO40	4.00 oz.	25
TALO60	6.00 oz.	25
TALO80	8.00 oz.	25
TALO30U	3.00 oz.	25
TALO40U	4.00 oz.	25
TALO60U	6.00 oz.	25
TALO80U	8.00 oz.	25
LT1005	0.50 oz.	25
LT1010	1.00 oz.	25
LT1015	1.50 oz.	25
LT1020	2.00 oz.	25
LT1025	2.50 oz.	25

Part No.	Size	Pcs/box
LT1030	3.00 oz.	25
LT1035	3.50 oz.	25
LT1040	4.00 oz.	25
LT1045	4.50 oz.	25
LT1050	5.00 oz.	25
LT1060	6.00 oz.	25
I7010	1.00 oz.	25
I7015	1.50 oz.	25
I7020	2.00 oz.	25
I7025	2.50 oz.	25
I7030	3.00 oz.	25
I7035	3.50 oz.	25
I7040	4.00 oz.	25
I7050	5.00 oz.	25
I7060	6.00 oz.	25

Part No.	Size	Pcs/box
I7080	8.00 oz.	25
I7100	10.00 oz.	20
I7120	12.00 oz.	20
I7140	14.00 oz.	10
I7160	16.00 oz.	10

Storage Solutions

Part No.	Size
WALLRACK20	Wall mountable, all-steel constructed, empty kit (includes: metal unit, label stickers and foldable header card)
FLOORRACK21	Floor standing, all-steel constructed, empty kit (includes: metal unit, metal floor legs, label stickers and foldable header card)

Accessories & Tools

Part No.	Description
25K	Wheel Weight Pliers
50K	Wheel Weight Pliers
50KE	Wheel Weight Pliers - Economy
71K	Wheel Weight Pliers w/ "Soft Head"
71P	Replacement "Soft Heads" (5) For 71K
75K	Wheel Weight Hammer w/ "Soft Head"
75P	Replacement "Soft Heads" (5) For 75K
75H	Replacement Removal Horns (5) for 75K & 105K
95K	TAL Dual Wheel Weight Hammer
PT7	Wheel Weight Pliers - Truck
105K	Non-Lead Wheel Weight Hammer

Part No.	Description
105HSD	Standard to Long Replacement Hook
105HST	Short Replacement Hook
QSS1	QuikStik® Adhesive Scraper
QS1000	SegmentLock Bar
QS2000	Steel Weight Roll Stand - Single Head
QS3000	Steel Weight Roll Stand - Dual Head
TR-10	Wheel Weight Removal Tool
RG2	Heavy-Duty Truck Rim Flange Gauge
RGP1	Passenger Car Rim Flange Gauge
18O27	OE Alloy Application Wall Chart
18O82	OE Alloy Application Guide
18O00	Perfect Equipment Catalog



US HEADQUARTERS:

1715 Joe B. Jackson Parkway | Murfreesboro, TN 37127
Service First Line: 1-888-215-4575

US WEST COAST DISTRIBUTION:

54 N. 45th Ave. Suite H | Phoenix, AZ 85043

www.perfectequipment.com

Perfect Equipment is a brand of



Form 18000 - Perfect Equipment Product Catalog
All contents © copyright, WEGMANN automotive. All rights reserved.